INDEX TO VOLUME—52

All new names are printed in *italics*

Acanthococcus aceris, 402
  roboris, 402
Acarina, 1, 7, 335
Acarophenax, 336
Aceria
  ambrosiae, 142
  bowlesiae, 144
  brevisetaca, 144
  chrysothamni, 142
  cynodonis, 142
  fagerinea, 650
  nervisequus, 650
  purshiae, 144
Acomatacarus, 1, 11
Acrididae, 674
Acroceridae, 150
Acroneuria sp., 206
Aculus *copallina*, 652
Acyphoderes odyneroides, 129
Aedes aegypti
  functions of egg coverings, 113
  vitamin B. content, 26
Aedes
  hexadontus, 116
  melanimon, 528
  muelleri, 138
  sierrensis, 526
  sollicitans, 266
  taeniorhynchus, 266
  triseriatus, 138
  zoosophus, 138
Agniolamia, 565
  pardalis *camerunensis*, 566
  pardalis pardalis, 565
Agriotes mancus, molt on plant food, 535
Agromyza tritici, 22
Agromyzidae, 83, 739
Agrotis orthogonia, 198
Agulla astuta, life history and morphology, 489
Alanine in diet of Oryzaephilus surinamensis larvae, 164
Alloxacis dorsalis, study of pupae, 302
American cockroach, changes in blood proteins during development of, 733
Anagasta, pupae, 638
Anagasta kühniella, 637
Anamaspis loewi, 410
Anastrepha ludens, 192
Anepeorinae, 50
Anepeorus, 50
Anglais articae, 220
Anicetus *toumeyellae*, 29
Anopheles
  albimanus, 262
  franciscanus, 526
  freeborni, 525
  maculipennis, 116
  quadrimaculatus, 26, 214
Anopheles effect of moonlight on crucians, 261
  quadrimaculatus, 262
  walkeri, 263
Anoplius, 439
  apiculatus autumnalis, 442
  apiculatus pretiosus, 442
  atricolor, 443
  carolinus, 442
  cleora, 442
  fraternus, 440
  illinoensis, 439
  ithaca, 440
  krombeini, 440
  marginalis, 441
  marginatus, 440
  semirufus, 442
  subcylindricus, 440
  virginiensis, 440
Anthonomus grandis, morphology, 287
Anthopoda johnstoni, 655
Antiphena
  abdominalis, 129
  nigra, 129
Antron
  douglasii, 69
  echinus, 69
Aonidiella aurantii, Aphytis parasitic on, 354
Aphid, new species on sugar maple, 647
Aphid dispersal, California deserts, 368
Aphidae, 647
Aphilanthops
  (Listropygia) *bechteli*, 106
  (Clypeadon) *californica*, 108
  (Clypeadon) *dreisbachi*, 107
  (Clypeadon) *haigi*, 106
  (Clypeadon) *sculleni*, 107
Aphis
  abbreviata, growth on potatoes, 117
  gossypii, life cycle; faculative migration, 284
  sedi, 286
Aphytis, parasitic on California red scale, 354
Aphytis
  chrysomphali, 354
  citrinus, 360
  fisheri, 362
  hispanicus, 359
  lepidosaphes, 355
  lingnanensis, 360
  melinus, 361
Apis, pupae, 638
Apis mellifera, 637
Apsectus, biology and systematics, 133
Apsectus
  araneorum, 135
  dichromus, 136
  hispidus, 134
Aridaeus cleroides, 125
Arsenic trioxide, ingested, action in cockroach, 219
Ascoschöngastia, 11
Astathes
  flaviventris, 129
  posticalis, 129
Asterolecaniidae, 404
Asterolecanium
  arabidis, 404
  bellum, 404
  minus, 404
  quercicola, 404
  roboris, 404
  variolosum, 404
Astomella
  acuta, 154
  hispaniae, 153
  oldroydi, 154
  orientalis, 151
Astomelloides auripila, 156
Attenuatella (subgenus), 546
Aulacaspis rosae, 411
Auplopus, 436
  carbonarius, 438
  ochraceus, 438

Bathyplectes curculionis, interrelationships with Hypera brunneipennis in southern California, 609
Batozonellus, 438
Beauveria bassiana, pathogen of Scolytus multistriatus, 109
Beetles, hydrogen-ion concentration in alimentary canal, in stored grain, 763
Behningia, 46
  lestagei, 46
  tshernovae, 47
  ulmeri, 46
Behningiidae, 43
Belostomatidae, 93
Bembix belfragei, capturing Tabanus bishoppi, 183
Biology of
  Agulla astuta, 489
  Anopheles quadrimaculatus, 214
  Aphis gossypii, 284
  Apsectus, 132
  army cutworm, 100
  Behningiidae, 50
  Ceramidia butleri, 351
  Cryptolestes, American, 657
  Dryocosmus, 69
  Halovelia marianarum, 53
  Hyalomma anatolicum anatolicum and H. excavatum, 243
  H. excavatum, 243
  Kermes pubescens, 463
  melon aphid, life cycle, 284
  Mochlonyx cinctipes, 519
  Mycophila fungicola, 331
  Nemobius fasciatus group, 591
  nymph of Tortopus, 205
  Pasimachus punctulatus, 485
  Periplaneta americana, 570
  Pholeomyia, 316
  Sarcophaga falciformis, 724
  scale insects of Hungary, 401
  Sitophilus oryza complex, 687
  Sciomyza, 31
  Tabanus bishoppi, 183

Blaberinae, 420
Blaberus giganteus, living hemocytes in wing veins, 229
Black flies, western United States, 394
Blattaria, 420
Blattidae, 229
Blood, feeding Culex tarsalis on human, 681
Blood-cell count, variation in Periplaneta americana, 240
Blood proteins, changes in during development of Periplaneta americana, 733
Bolitotherus cornutus, 299
Bombomimus astur, 126
Bombus, 126
Book Notices: Authors:
Andarelli, L., 646
Baerg, William J., 190
Balduf, W. V., 608
Barber, Harry G., 225
Borradiale, L. A., 223
Campbell, Frank L., 551
Carthy, J. D., 646
Chamberlin, W. J., 400
Cloudsley-Thompson, J. L., 74
Eastham, L. E. S., 223
Elton, Charles S., 340
Potts, F. A., 223
Rioux, Jean A., 225
Saunders, J. T., 223
Séguy, Eugène, 62
Senevet, G., 223, 646
Strandtmann, R. W., 566
Sweetman, H. L., 224
Walker, Edmund M., 224
Wharton, G. W., 566
Book Notices: Editor:
Hubbs, Carl L., 634
Book Notices: Titles:
An Introduction to the Behavior of Invertebrates, 646
Heteroptera: Lygaeidae. Insects of Micronesia, 225
Introduction à l'Étude Biologique et Morphologique des Insectes Dipterès, 62
Les Anopheles du Globe. Revision Générale, 223
Les Culicides du "Midi" Méditerranean Étude Systématique et Écologique, 225
Les Moustiques de l'Afrique du Nord et du Bassin Médeterranéen. Les Genres Culex, Uranotaenia, Theobaldia, Orthopodomyia et Mansonia, 646
Manual of Mesostigmatid Mites, 566
Obligatory and Facultative Insects in Rose Hips, 608
Physiology of Insect Development, 551
Spiders, Scorpions, Centipedes and Mites. The Ecology and Natural History of Woodlice, "Myriapods" and Arachnids, 74
The Ecology of Invasions by Animals and Plants, 340
The Invertebrata: A Manual for the Use of Students, 223
The Odonata of Canada and Alaska. Volume II. The Anisoptera—Four Families, 224
The Principles of Biological Control, 224
The Scolytoidea of the Northwest, 400
The Tarantula, 190
Zoogeography, 634
Bracon, pupae, 638
Bracon hebetor, 637
Braconidae, 294
Byrsotria fumigata, gynandromorphs, 420
Caenis sp., 206
Calliphora, digestive enzymology, 167
Calliphora
cadaverina, 169
terrae-novae, 169
vicina, 169
vomitoria, 169
Calliphoridae, 167
Callisphyrus, 126
Calocosmus venustus, 131
Calopteron
spp., 127
textile, 128
Calopus angustus, study of pupae, 302
Campsurus, 210
Cantharoxylymma, 130
Carabidae, 485
Carulaspis visci, 412
Caudatella (subgenus), 546
Cecidophyes, 652
lyrata, 650
Cecidophyopsis, 652
Cecropia, nervous system of larva, 469
Cephalodonta maculata, 129
Cerambycidae, 552
mimetic form and coloration, 125
Ceramidia butleri, life history, 351
Ceratitis capitata, effect of temperature on eggs, 191
Ceratopogonidae, 617
Chaetococcus phragmitis, 402
Chalcididae, 75
Chatia, 10
furmani, 8
Cheladonta, 11
crossi, 15
micheneri, 15
michneri, 15
Cheumatopsyche sp., 206
Chionaspis
lepineyi, 411
salicis, 411
Chironomidae of Alabama, 506
Chitinophora (subgenus), 544
Chloridolum, 129
Chlorophorus (Clytanthus) annularis, 129
Choristoneura fumiferana, 605
Chorizagrotis auxiliaris, development and behavior, 100
Chortinaspis subterraneous, 412
Cicadellidae, 304
Cimicidae, 81
Clover root borer, studies of vertical distribution in red clover, 760
Clypeadon (subgenus), 105
Clytini, Batesian mimicry in, 125
Coccidae, 404
Coccoidea, 463
Cockroach, peripheral distribution of thoracic nerves of Periplaneta americana, 695
Cockroaches, blood toxins in DDT-poisoned, 386
Coelotanypus concinnus, 510
Coleoptera, 125, 164, 173, 287, 299, 485, 503, 534, 537, 540, 609, 657
Colorhombus
auricomus, 126
fasciatipennis, 126
Comatacarus, 10
Comperiella bifasciata, 355
Compsosoma mutillarium, 128
Cordiseta mexicana, 11
Corn borer moths, influence of development of dent corn on oviposition, 272
Corydalus cornutus, 206
Cottophylla, 652
Cricotopus
belkini, 510
trifasciatus, 510
Cryptocheilus, 434
Cryptococcus fagisuga, 402
Cryptolestes, bionomics of American, 657
Cryptolestes
ferrugineus, 657, 763
minutus, 657
pusilloides, 657
turcicus, 657, 763
Ctenicera aeripennis aeripennis, growth and feeding behavior of larvae, 540
aeripennis aeripennis, growth and survival, 537
aeripennis destructor, rearing larvae, 173, 540
tarsalis, compared with noncannibals, 534
Ctenodes, 130
Cucujidae, 657
Culex
fatigans, vitamin B content, 26
molestus, vitamin B content, 26
nigripalpus, 263
pipiens, 525
pipiens, vitamin B content, 26
pipiens fatigans, 116
stigmatosoma, 526
tarsalis, 481, 524, 681, 767
Culicidae, 137, 345, 481, 519, 524, 668
Culicoides
actoni, 627
alatus, 617
anophelis, 624
autumnalis, 628
candidus, 620
clavipalpis, 620
daleki, 624
definitus, 622
distinctus, 618
dumdumi, 628
fortis, 622
fulvithorax, 625
fulvus, 628
himalayae, 617
indianus, 627
inexploratus, 628
iniquus, 620
innoxius, 626
kamrupi, 617
macfiei, 625
magnificus, 622
minutus, 622
odiosus, 624
orientalis, 627
oxystoma, 624
palpifer, 625
pattoni, 624
peregrinus, 627
peregrinus assamensis, 627
raripalpis, 626
shortti, 626
similis, 618
studies on Indian, 617
turgidus, 626
Culiseta
incidens, 526
inornata, 526
maccrackenae, 526
Curculionidae, 287, 609

Cyclocranium swierstrae, 126
Cylindrepomus comis, 129
Cynipidae, 69
Cyphus myrmosarius, 128
Cyrtus
  kashmirensis, 158
  orbifer, 158

Dactylopiidae, 463
Dacus, effect of temperature on eggs, cucurbitae, 191
  dorsalis, 191
Dannella (subgenus), 546
Daphisia sp., 129
Dasyhelea setiger, 628
DDT, effect of on respiratory enzymes of mealworm and house fly, 179
DDT-poisoned cockroaches, blood toxins, 386
Deinocerites cancer, 266
Delpyiella (subgenus), 243
Demonax, 129
Dendroides
  canadensis, 299
  concolor, 299
  ephemeroides, 299
Dent corn, influence of oviposition by European corn borer moths, 272
Diaspididae, 408
Diaspidiotus
  alni, 416
  bavaricus, 416
  hungaricus, 416
  wünni, 416
Diplura, Japygidae of North America, 363
Dipogon, 434
  intermedius, 436
  papago anomalus, 436
  sayi sayi, 436
  variegatus, 436
Diptacus
  fragarifoliae, 656
  rubra, 656
Diptera, 17, 31, 83, 121, 137, 150, 167, 183, 316, 331, 345, 394, 444, 481, 506, 519, 524, 617, 668, 724, 728, 739
Ditylus quadricollis, study of pupae, 302
Dolania americana, 46
Dolichocybe keiferi, 336
Dolichoderus
  mariae, 759
  (Hypoclinea) taschenbergi, flight activities, 755
Doliops curculionoides, 129
Drepanaphis
  acerifoliae, 647
  simpsoni, 647
Drosophila, pupae, 638
Drosophila melanogaster, 637
Drunella (subgenus), 546
Dryocosmus, heterogony, 69
Dryocosmus
  bicornis, 69
  dubiosus, 69
  minusculus, 72
Dynaspidiotus abietis, 412

Ecological studies, melon leaf miner, 83
Ecology of dark rice field mosquito, 345
Elateridae, 173, 534, 537, 540
Empoasca
  anilla, 315
  arvalis, 313
  beckeri, 310
  canda, 310
  cunninghami, 314
  eccla, 316
  fabae, complex, 304, 315
  fenestra, 312
  gansella, 312
  gibsoni, 314
  hastosa, 314
  incoata, 313
  kraemeri, 311
  loreta, 313
  mergata, 312
  mexara, 315
  millsi, 315
  panisca, 315
  tetronis, 313
  verdia, 315
  zapoides, 310
Encyrtidae, 28
Epania
  sarawakensis, 128
  singaporensis, 128
Ephemera, 206
Ephemerella, subgeneric groups, 543
Ephemerella (Drunella)
  allegheniensis, 546
  atagosana, 546
  (*Attenuatella*) attenuata, 546
  (Chitinophora) aurivillii, 544
  (Drunella) autumnalis, 546
  (Drunella) basalis, 546
  (Torleya) belgica, 546
  (Chitinophora) berneri, 544
  (Eurylophella) bicolor, 546
  (Eurylophella) bicoloroides, 546
  (Chitinophora) catawba, 544
  (Drunella) cherokee, 546
  (Chitinophora) choctawhatchee, 544
  (*Serratella*) cognata, 545
  (Drunella) coloradensis, 546
  (*Caudatella*) columbiella, 546
  consimilis, 546
  (Drunella) cornuta, 546
  (Drunella) cornutella, 546
  (Drunella) cryptomeria, 546
  (*Serratella*) deficiens, 545
  (*Attenuatella*) delantala, 546
  (Drunella) depressa, 546
  (Drunella) doddsi, 546
  (Eurylophella) doris, 546
  (Ephemerella) dorothea, 544
  (*Caudatella*) edmundsi, 546
  elongatula, 546
  (Chitinophora) euterpe, 544
  (Ephemerella) excrucians, 544
  (Drunella) flavilinea, 546
  (Drunella) flavitincta, 546
  (Ephemerella) fratercula, 544
  (*Serratella*) frisoni, 545
  (Eurylophella) funeralis, 546
  (Drunella) glacialis, 546
  (Drunella) glacialis carsona, 546
  gracilis, 546
  (Drunella) grandis, 546
  (Timpanoga) hecuba, 546
  (Timpanoga) hecuba hecuba, 546
  (Timpanoga) hecuba pacifica, 546
  (*Caudatella*) heterocaudata, 546
  (*Attenuatella*) hirsuta, 546
  hispanica, 546
  (Caudatella) hystrix, 546
  (Chitinophora) ignita, 544
  (Drunella) ingens, 546
  (Ephemerella) inconstans, 544
  (Ephemerella) inermis, 544
  (Ephemerella) infrequens, 544
  (Ephemerella) invaria, 544
  (Drunella) ishiyama, 546
  (*Caudatella*) jacobi, 546
  (Eurylophella) karelica, 546
  (Chitinophora) krieghoffi, 544
  (Ephemerella) lactata, 544
  (Drunella) lapidula, 546
  (Drunella) lata, 546
  (Drunella) latipes, 546
  lenoki, 546
  (*Serratella*) levanidovae, 545
  (*Dannella*) lita, 546
  (Eurylophella) lodi, 546
  (*Serratella*) longicaudata, 545
  (Drunella) longicornis, 546
  longipes, 546
  (Eurylophella) lutulenta, 546
  (Chitinophora) maculata, 544
  (Torleya) major, 546
  (*Attenuatella*) margarita, 546
  (Chitinophora) mesoleuca, 544
  (*Serratella*) micheneri, 545
  (Eurylophella) minimella, 546
  (*Serratella*) molita, 545
  (Ephemerella) mollitia, 544
  (Chitinophora) needhami, 544
  nigra, 546
  (Chitinophora) notata, 544
  (Ephemerella) ora, 544
  (*Serratella*) orientalis, 545
  (Drunella) pelosa, 546
  (Drunella) proserpina, 546
  (Eurylophella) prudentalis, 546
  (Drunella) punctisetae, 546
  quebecensis, 546
  (Ephemerella) rotunda, 545
  rufa, 546
  sachalinensis, 546
  (Chitinophora) septentrionalis, 546
  (Ephemerella) septentrionalis, 544
  (*Serratella*) serrata, 544
  (*Serratella*) serratoides, 545
  (Chitinophora) sibirica, 544
  (Drunella) sierra, 546
  (*Dannella*) simplex, 546
  sinensis, 546
  (*Attenuatella*) soquele, 546
  (*Serratella*) sordida, 545
  (Drunella) spinifera, 546
  submontanus, 546
  (Ephemerella) subvaria, 544
  (Chitinophora) sven-hedini, 544
  taeniata, 546
  (Eurylophella) temporalis, 546
  (Drunella) tenax, 546
  (*Serratella*) teresa, 545
  thymalli, 546
  (*Serratella*) tibialis, 545
  (Ephemerella) torrentium, 544
  (Drunella) triacantha, 546
  (Eurylophella) trilineata, 546
  (Drunella) trispina, 546
  (Drunella) tuberculata, 546
  (Eurylophella) versimilis, 546
  (Drunella) wayah, 546
  unicornis, 546
  (Drunella) wilsoni, 546
  (Ephemerella) argo, 544
Ephemerellidae, 543
Ephemeroidea, 43
Ephemeroptera, 43, 205, 543
Ephoron, 206
Epidiaspis leperii, 412
Epilachna varivestis, 637
Epimellita, 130
Episomus chlorostigma, 128
Episyron
  posterus, 439
  quinquenotatus quinquenotatus, 439

Epitrimerus
demissae, 655
virginiana, 654
Eriopeltis festucae, 404
Eriophyes *arida*, 148
Erotylus sexfasciatus, 128
Erythroplatys corallifer, 129
Estigmena chinensis, 128
Estigmenida variabilis, 128
Eucalliphora lilaea, digestive enzymology, 167
Eulecanium
arion, 404
bituberculatum, 404
ciliatum, 404
corni, 404
crudum, 407
franconicum, 407
persicae, 407
prunastri, 407
rufulum, 408
Eulophidae, 354
European corn borer, population fluctuations in Minnesota, 710
Eurygarka helicis, 450
Eurygenius campanulatus, 299
Eurylophella (subgenus), 546
Eurystethus debilis, 299
Euschöngastia, 11
(Ascoschöngastia) anomala, 15
bigenuala, 14
blarinae, 14
californica, 14
campi, 14
carolinensis, 14
citellicola, 14
cordiremus, 14
crateris, 14
criceticola, 14
cynomyicola, 14
decipiens, 14
diversa acuta, 14
diversa diversa, 14
enemi, 14
fasolla, 14
finleyi, 13
frondifera, 14
furmani, 14
guntheri, 14
hamiltoni, 14
hoffmannae, 14
jonesi, 14
lacerta, 13
lanceolata, 14
lanei, 14
loomisi, 14
luteodema, 15
magna, 14
marmotae, 14
micheneri, 14
nihi, 15
nunēzi, 13
obesa, 14
ohioensis, 14
oregonensis, 14
(Ascoschöngastia) pedregalensis, 15
peromysci, 14
pipistrelli, 14
pomerantzi, 15
puerilis, 14
radfordi, 14
romola, 15
rotunda, 14
rubra, 14
sciuricola, 14
setosa, 14
soricinus, 14
trigenuala, 14
utahensis, 14
Eutrombicula, 10
Eye gnat, flight range, dispersal patterns, and population density, 641

Fonsecia palmella, 10
Formicidae, 176, 755
Fruit flies, effect of temperature environments on egg development, 191

Gahrliepia, 11
(Walchia) americana, 12
(Walchia) gouldi, 12
Galleria mellonella, 637
Glenea iresine, 128
Glyptacus, 652
Glyptotendipes
meridionalis, 517
paripes, 517
Gossyparia spuria, 402
Grabhamia, taxonomical studies on larvae of common species, 668
Grapholitha molesta, 637
Grasshoppers, a parasite of, 724
Gryllidae, 591
Guanase, from Leucophaea maderae, 548
Gymnocerus
belti, 130
dulcissimus, 130
Gynandromorphs of Byrsotria fumigata, 420

Habrobracon, antimitotic substances fed to female, 294
Habrobracon juglandis, 637
Haemagogus equinus, 137
Halovelia marianarum, biology of, 53
Hannemania, 10
dunni, 11
eltoni, 11
hegeneri, 11
hylae, 11
Haplothrips clarisetis in southern California, 765
Hecajapyx vulgaris, 366
Hemipepsis ustulata ochroptera, 432
Hemiptera, 81, 93, 279, 304
Hemocytes in wing veins of cockroach, 229
Hertigia hertigi, 122
Heterogeny, Dryocosmus, 69
Heterops dimidiata, 130
Heteroptera, 53
Hexapod, studies on nervous system, 695
Hippelates collusor, 641
Hippelates pusio, dispersal of adult, 372
Hoffmanina suriana, 8
Holly, Torymus from seeds, 52
Homonotus sanguinolentus, 443
Homoptera, 463, 647
Hornworms, natural enemies of, on tobacco, 741
Human hosts, effects on Mansonia perturbans, 236
Hyalomma
anatolicum, 243
anatolicum anatolicum, 244, 248, 257
anatolicum excavatum, 248, 250, 254, 256
excavatum, 244
franchinii, 254
hussaini, 243
lusitanicum, 244, 256
marginatum, 247
rhipicephaloides, 244
ticks, Egyptian, biological notes, 243
truncatum, 247
Hyalommina (subgenus), 243
Hylastinus obscurus, 760
Hylotoma pruinosa, 128
Hymenoptera, 28, 52, 69, 75, 105, 176, 294, 354, 430, 609, 755
Hypera brunneipennis, interrelationships with Bathyplectes curculionis in southern California, 609

Ichneumonidae, 609
Insect
epicuticle and terminology, 381
fat body, oxidative metabolism, 567
Insects
oxygen poisoning in, 637
scale, of Hungary, biological notes, 401
Ipochus, 126
Isonychia sp., 206
Ites, 128
Itonididae, 331
Ixais castelnaudi, 128

Japygidae of North America, 363
Johnella, 650
chrysolepis, 652
virginiana, 652

Kermes pubescens, life history and morphology, 463
Kermococcus
quercus, 402
roboris, 404

Lasia aurata, 158
Leeuwenhoekia (Comatacarus) americana, 11
dolosa, 11
stewarti, 11
Lepidospychoda, 447
tineiformis, 447
trimicra, 448
Lepidoptera, 100, 351, 469, 741
Lepidoptera, furcopleural muscles, 665
Lepidosaphes
conchyformis, 410
granati, 410
newsteadi, 410
ulmi, 410
Leptotrombidium, 10
Leptura sp., 129
Lepturini, Batesian mimicry in, 125
Lesbra graueri, 564
Lethocerus, locomotion, 93
Leucaspis
pini, 408
pusilla, 410
Leucophaea maderae, 548
Limonius agonus, predation and survival, 534
Liriomyza pictella, 83, 739
Listropygia (subgenus), 106
Locomotion of Lethocerus, 93
Locusta migratoria, 220
Loxaulus trizonalis, 69
Lycidola retifera, 128
Lycomimus albocinctus, 128
Lyctus planicollis, influence of environment on development, 632
Lycus, 126
Lygaeidae, 279
Lygesis, 128

Macromerus splendida, 126
Macronemum carolina, 206
Macrosiphum solanifolii, growth on potatoes, 117

Melathion metabolism in larvae of resistant mosquito strains, 767
Mansonia effect of moonlight on
indubitans, 263
perturbans, 261
Mansonia perturbans, localizing effects of human hosts, 236
Megachile, 130
Melandrya striata, 299
Melanolamia, 554
albosignata, 555
melaleuca, 555
Melanoplus
bilituratus, utilization of food plants by, 674
devastator, 724
mexicanus, 198, 674
Melanopolia, and allies, Ethiopian, 552, 556
Melanopolia
brevicornis, 563
catori catori, 562
catori *viltata*, 563
cincta cincta, 557
cincta *camerunensis*, 558
cotytta, 560
frenata, 559
freundei, 560
latisfasciata, 561
ligata, 561
ligondesi, 564
longiscapa, 563
lysida, 557
maculata, 564
nubilosa, 558
Melanotus, compared with cannibalistic Coleoptera, 534
Melipona vidua, 128
Melon leaf miner, host range studies, 739
Melzerella lutzi, 128
Meoneura, 18
alpina, 24
digitata, 19
elongella, 25
flavifacies, 24
forcipata, 24
glaberrima, 22
lamellata, 23
neglecta, 22
nigrifrons, 25
nitidiuscula, 22
obscurella, 22
palaestinensis, 22
perlamellata, 24, 25
polita, 20
pteropleuralis, 19
seducta, 22
triangularis, 24
vagans, 23
wirthi, 25
Mesolita inermis, 126
Methia, 126
Methods
enzyme, on oxidative metabolism of insect fat body, 567
for characterizing toxin in DDT-poisoned cockroaches, 386
for conducting ecological studies of Liriomyza pictella, 83
for conducting experiments with feeding whole blood to Culex tarsalis, 682
for conducting investigation of action of arsenic trioxide in Periplaneta americana, 219
for conducting survey for pathogens of Scolytus multistriatus, 109
for determining alanine and proline requirements of Oryzaephilus surinamensis, 164
for determining aphid dispersal over California deserts, 368
for determining blood-cell count of Periplaneta americana, 240
for determining changes in size of mosquito populations, 346
for determining developmental serum protein changes in Periplaneta americana, 734
for determing effect of temperature on egg development of fruit flies, 191
for determining effects of DDT on Tenebrio molitor and Musca domestica, 179
for determining effects of sterilized soil on Ctenicera larvae, 538
for determining efficiency of sticky traps in sampling Aceria tulipae, 160
for determining growth of Ctenicera larvae, 540
for determining host range of Liriomyza pictella, 739
for determining influence of dent corn on oviposition by corn borer moths, 272
for determining influence of Tribolium confusum on microflora, 452
for determining oxidative metabolism of insect fat body, 567
for determining survival of Pyrausta nubilalis in artificial tunnels in stalks of field corn, 631
for determining population changes in Pyrausta nubilalis, 711
for determining treatment perimeter and directions of flight of eye gnat, 641
for determining strength-weight relationship within Tenebrio molitor, 766
for determining whether Culex tarsalis larvae converted malathion to its oxygen analog, 767
for field sampling of Hypera brunneipennis and Bathyplectes curculionis, 609
for investigation continuance on Culex tarsalis, 524
for isolating enzymes from fat body of Leucophaea maderae, 548
for observing blood circulation in wings of Blaberus giganteus, 229
for observing changes in biology of Anopheles quadrimaculatus, 214
for rearing Agulla astuta, 489
for rearing larvae of Ctenicera, 173
for redescribing Pygostenini, 503
for study of eggs of Culex tarsalis, 481
for study of Solenopsis saevissima richteri, 573
for study of oxygen poisioning in insects, 637
for study of thoracic nerves of Periplaneta americana, 696
for study of utilization of food plants by Melanoplus bilituratus, 674
for obtaining frass samples of spruce budworm, 606
for study of measure of effect on hornworm populations of enemies that kill eggs and larvae, 741
for study of relation between seasonal progression and vertical distribution of clover root borer, 761
for study of reproductive systems of cotton boll weevil, 287
of investigating the gut in beetles in relation to their feeding on stored cereals, 763
of nomenclature and illustration of nervous system of Cercropia larva, 471
of observing flights of Dolichoderus, 755
of testing predation and survival of Limonius agonus, 534
Michthysoma, 127
Microbracon hebetor, feeding antimitotic substances, 294
Microcleptes variolosus, 126
Micropsectra dubia, 513
Migratory grasshopper, utilization of food plants by, 674
Miiichia proectes, 317
Milichiidae, 17, 316
Milkweed bug, hygroreceptors, 279
Mimetic form and coloration in Cerambycidae, 125
Mites, new eriophyid, 649
Miyatrombicula kochiensis, 13
Mochlonyx cinctipes, life history, 519
Molorchus, 126
Monochamidi, 552
Monochamini of Ethiopian region, 552
Morphology
Agulla astuta, 500
cotton boll weevil, 287
embryos of Culex tarsalis, 481
Kermes pubescens, 463
poison glands and sting of Solenopsis saevissima richteri, 573
Mosquito strains, malathion metabolism in larvae of resistant, 767
Mosquitoes
dark rice field, ecology, 345
floodwater, functions of coverings of eggs, 113
influence of moonlight on light-trap catches, 261
localizing effects of human hosts, 236
vitamin B content, 26
Musca domestica, effects of DDT on respiratory enzymes, 179
Musca domestica, 637
Mycophila fungicola, redescription and review of biology, 331
Mygnimia princeps, 126
Myosoma, 127
Myzus
persicae, growth on potatoes, 117
solani, growth on potatoes, 117

Nacerdes melanura, study of pupae, 302
Nanocladius *alternantherae*, 510
Necydalini, Batesian mimicry in, 125
Necydalis, 126
Nemobiinae, 591
Nemobius
allardi, 592
fasciatus group, 591
tinnulus, 592
Neopanops boharti, 157
Neopyrochroa femoralis, 299
Neoschöngastia, 11
americana, 15
brennani, 15

fullbergae, 15
paenitens, 15
Neotrombicula, 10
Neuroptera, 489
Newsteadia floccosa, 402
Nigrolamia, 552
borussa, 553
ogowensis, 553
farinosa, 554
Noctuidae, 100
Novotrombicula suriana, 8

Oberea, 127
Obituaries:
Needham, James George, 338
Gerhard, William J., 338
Occasjapyx, 363
californicus, 363
sierrensis, 363
silvestri, 363
Ochrya nana, 126
Odontacarus, 1
arizonensis, 11
australis, 2
bakeri, 11
brevicalcar, 11
cayolargoensis, 2, 11
chiapanensis, 11
dentatus, 1
galli, 11
hirsutus, 11
linsdalei, 11
micheneri, 11
morlani, 4, 11
plumosus, 11
polychaetus, 11
shawi, 5
whartoni, 11
Odontocera, 130
Oedaleonotus enigma, 727
Oedemera virescens, study of pupae, 302
Oedemeridae, study of pupae, 299
Ommata spp., 130
Oncopeltus fasciatus, antennal hygroreceptors, 279
Oregostoma luridum, 130
Ornistomis, 130
Orthezia urticae, 401
Ortheziidae, 401
Orthopodomyia
alba, first instar larvae, 137
anopheloides, 141
californica, 141
fascipes, 141
signifera, first instar larvae, 137
Orthoptera, 229, 591, 674
Oryzaephilus
mercator, 763
surinamensis, 164, 763
Othnius umbrosus, 299
Oxycopis, study of pupae
suturalis, 302
thoracica, 302
Oxylymma, 130

Pachyrrhynchus erischsoni, 129
Palingenia, 206
Palpomyia, 206
Panops baudini, 154
Papilio machaon, 666
Paralauterborniella elachistus, 513
Paraphytoptus *artemisiae*, 148
Paratendipes basidens, 513
Pasimachus punctulatus, courtship and copulation, 485
Pavania, 336
Pediculus humanus corporis, 279
Pelopia punctipennis, 509
Pentaneura
aequifasciata, 507
annulata, 508
basalis, 508
aspera, reactions to sound, 728
carnea, 507
cinctipes, 508
idei, 508
illinoensis, 508
mallochi, 508
monilis, 206, 508
peleensis, 508
prudens, 508
Pepsis, 431
mexicana, 431
thisbe, 431
Periplaneta americana
biology and dehydrogenase activities of fat body, 570
blood toxins in DDT-poisoned, 386
changes in blood proteins during development of, 733
ingested arsenic trioxide, 219
oxidative metabolism of fat body, 567
peripheral distribution of thoracic nerves, 695
variation in blood-cell count, 240
Phaenicia sericata, digestive enzymology, 167
Phespia corinna, 130
Philosepedon, 448
bishoppi, 449
distyla, 449
flavithorax, 449
humeralis, 449
interdicta, 449
maderensis, 449
malayensis, 449
mayeri, 449
opposita, 449
tesca, 449
triangulata, 449
triastyla, 449
tridactila, 449
Phlaeothripidae, 765
Phlebotomus
distribution in Central America, 121
species between Panama and U. S., 121
Phlebotomus
aclydiferus, 121
anduzei, 121
anthophorus, 121
apicalis, 121
arborealis, 121
barrettoi, 121
bispinosus, 121
camposi, 121
carpenteri, 121
cayennensis, 121
cayennensis maciasi, 121
chiapanensis, 122
cruciatus, 122
ctenidophorus, 122
cunhai, 122
deleoni, 122
del pozoi, 122
diabolicus, 122
dodgei, 122
durani, 122
dysponetus, 122
evansi, 122
galindoi, 122
gomezi, 122
hardisoni, 122
intermedius, 122
longipalpis, 122
oppidanus, 122
ovallesi, 122
panamensis, 122
paraensis, 122
permirus, 122
pilosus, 122
sanguinarius, 122
saulensis, 122
shannoni, 122
steatopygus, 122
stewarti, 122
texanus, 122
trapidoi, 122
trinidadensis, 122
undulatus, 122
vesiciferus, 122
vespertilionis, 122
vexator, 122
vindicator, 122
viriosus, 122
wirthi, 122
ylephiletor, 122
Pholeomyia, revision of genus, 316
Pholeomyia
comans, 330
dampfi, 328
decorior, 324
dispar, 327
expansa, 323
hurdi, 324
indecora, 322
latifrons, 321
leucogastra, 326
longiseta, 321
pseudodecora, 326
leucozona, 329
myopa, 325
nitidula, 327
obscura, 330
politifacies, 323
robertsoni, 328
texensis, 329
Phormia
regina, 167, 637
Phryganidia californica, 69
Phyllocoptes *sassafrasella*, 654
Physopoda
albitarsis, 130
subvestita, 130
Pialea auripila, 156
Pieris brassicae, 220
Papilio glaucus glaucus, 486
Pitomba, 130
Pleurocera sp., 206
Poecilopompilus, 438
interruptus interruptus, 438
Pogonomyrmex occidentalis, Batesian mimicry similarilty to Veromessor lobognathus, 176
Polybia
liliacea, 129
nigra, 129
Polymitarcidae, 205
Polymitarcys virgo, 206
Polypedilum
digitifer, 513
illinoensis, 513
parvum, 513
scalaenum, 513
simulans, 513
trigonus, 513
Polystomophora ostiaplurima, 402
Pompilidae, larvae, 430
Porthetria dispar, 220

Potamyia flava, 206
Povilla adusta, 207
Priocnemis, 434
  cornica, 434
  minorata, 434
Procladius culiciformis, 510
Prodenia, 220
  eridania, 637
Proline in diet of Oryzaephilus surinamensis larvae, 164
Prospaltella perniciosi, 355
Protocalliphora
  avium, digestive enzymology, 167
  regina, 169
  sericata, 169
  terrae-novae, 169
Protoparce
  quinquemaculata, 741
  sexta, 741
Protophormia terrae-novae, digestive enzymology, 167
Psebena brevipennis, 128
Psectrocladius vernalis, 513
Pseudaulacaspis pentagona, 412
Pseudochermes fraxini, 402
Pseudococcidae, 402
Pseudoschöngastia, 11
  diazi, 15
  farneri, 15
  hungerfordi, 15
  occidentalis, 15
Pseudosida bidentata, 199
Psilodera
  aurata, 158
  orbifer, 158
Psorophora, 267, 668
  (Psorophora) ciliata, 668
  confinnis, 268
  confinnis, notes on ecology in Coachella Valley, California, 345
  (Grabhamia) confinnis, 668
  (Janthinosoma) cyanescens, 668
  (Grabhamia) discolor, 668
  (Janthinosoma) ferox, 668
  (Janthinosoma) horrida, 668
  (P.) howardii, 668
  (Janthinosoma) johnstonii, 668
  (Janthinosoma) longipalpis, 668
  (Grabhamia) pygmaea, 669
  (Grabhamia) signipennis, 668
  (Janthinosoma) varipes, 668
Psychoda, 450
  alternata, 447
Psychodidae, 121, 444
Psychodini, classification, 444
Pteracantha, 130
Pterocallidium (subgenus), 63
Peterodontia
  dorsolineata, 158
  kashmirensis, 158
Pteroplatini, Batesian mimicry in, 125
Pteroplatus spp., 127
Pulvinaria
  artemisiae, 408
  betulae, 408
Purshia glandulosa, 149
Pyemotes, 336
  ventricosus, 335
Pyemotidae, notes on, 335
Pygmephorus, 336
Pygostenini, little-known, 503
Pygostenus magnus, 504
Pyrausta nubilalis
  influence on dent corn oviposition, 272
  population fluctuations in Minnesota, 710
  survival in artificial tunnels of field corn, 631
Pytho americanus, 299

Quadraspidiotus
  gigas, 412
  lenticularis, 414
  marani, 414
  ostreaeformis, 414
  perniciosus, 414
  pyri, 415
  sulci, 415
  zonatus, 415

Radiotracer labeling of tephritid population, 90
Raphidiidae, 489
Raphidiodea, 489
Resinacarus resinatus, 336
Rhagoletis completa, flight range, 90
Rhathymoscelis peruibensis, 128
Rhinotragini, Batesian mimicry in, 125
Rhinotragus opicalis, 130
Rhizoberlesia trifolii, 68
Rhizococcus obscurus, 402
Rhysogaster, 150
  implicata, 151
  indica, 151
  orientalis, 151
  panayensis, 152
Rhizopertha dominica, 763
Rhyncaphytoptus *rubrifoliae*, 656
Rice weevil, biological study of complex, 687

Saissetia oleae, Agulla astuta reared on eggs and crawlers, 489
Salius ceylonicus, 126
Sarcophaga
  bullata, 169
  cooleyi, 169
  falciformis, 724
  shermani, 169
Sarcophagidae, 167, 724
Sasacarus furmani, 8
Saturniidae, 469
Schizotus cervicalis, 299
Sciomyza
  aristalis, 32
  dryomyzina, 40
  simplex, 40
  snail-killing flies of genus, 31
  varia, 43
Sciomyzidae, 31
Scolytus multistriatus, Beauveria bassiana as a pathogen of, 109
Serratella (subgenus), 544
Serropalpus barbatus, 299
Sessinia livida, study of pupae, 302
Shunsennia, 10
Silvanidae, 164
Simuliidae, 394
Simulium
  petersoni, 394
  wyomingensis, 395
Siteroptes, 336
  reniformis, redescription of male, 335
Sitophilus
  granarius, 763
  oryza, biological study, 687
  sasakii, 689
Solenopsis saevissima richteri, poison glands and sting, 573
Spathomeles, 127
Speleocola tadaridae, 10
Sphaerium sp., 206
Sphecidae, 105
Sphecomorpha murina 129
Sphingidae, 741
Spinosomatidia, 126
Spruce budworm larval instars, frass size indicator, 605
Staphylinidae, 503
Stenelmis sp., 206
Stenochironomus
  hilaris, 514
  macateei, 514
Stenonema sp., 206
Sternacanthus undatus, 128
Sticky traps in sampling mite populations, 159
Stictochironomus palliatus, 514
Streptolabis, 130
Stricticimex *intermedius*, 81
Sympolemon rufobrunneus, 503
Synchroa punctata, 299
Syntomidae, 351

Tabanidae, 183
Tabanus
  affinis aurilimbus, 184
  bishoppi, hovering and mating, 183
Tanytarsus
  confusus, 513
  neoflavellus, 513
  viridiventris, 513
Targionia vitis, 416
Tarsonemoides termitophilus, 336
Tecomatlana, 10
Temperature environments, effect on egg development of fruit flies, 191
Tendipedidae, 506, 728
Tendipes
  amachaerus, 516
  atrimanus, 514
  brachialis, 514
  brunneipennis, 514
  crassicaudatus, 514
  decorus, 514
  directus, 514
  fulvipilus, 514
  fulvus, 516
  fuscicornis, 514
  modestus, 514
  monochromus, 516
  nervosus, 514
  nigricans, 514
  pectinatellae, 516
  plumosus, 514
  tenuicaudatus, 516
Tenebrio molitor, 179, 637, 766
Tephritid population, radiotracer labeling, 90
Termitadelphos, 451
Tetraopes, 130
Therioaphis
  maculata, 63, 368
  trifolii, 63
Threticus, 449
  aenigmaticus, 450
  bicolor, 450
  dubitatus, 450
  irroratus, 450
  jonesi, 450
  lucifugus, 450
  philpotti, 450
  unimaculatus, 450
Thysanoptera, 765
Tiger swallowtail butterfly, flight behavior, 486
Tillomorphini, Batesian mimicry in, 125

Timpanoga (subgenus), 546
Tomopterus larroides, 130
Torleya (subgenus), 546
Tortopus
  circumflus, 210
  incertus, 206
  manitobensis, 210
  primus, 210
Torymidae, 52
Torymus
  fullawayi, 74
  rugglesi, 52
Toumeyella liriodendri, 28
Toxorynchites rutilis septentrionalis, 137
Toxoptera graminum, 368
Tribolium
  castaneum, 763
  confusum, 452, 763
Trichopsychoda, 446
  africana, 447
  boninensis, 447
  carolinensis, 447
  hirtella, 447
  insulicola, 447
  montana, 447
Trichrous, 130
Tricorythodes sp., 206
Trigonura, 75
  algerti, 77
  californica, 76
  elegans, 78
  hicoriae, 78
  pini, 80
  tarsata, 77
  ulmi, 80
Trinodinae, characterized, 132
Trisetacus *grosmanni*, 649
Trogodendron fasciculatum, 125
Trogoderma
  parabile, 763
  versicolor, 763
Trombicula, 11
  (Eutrombicula) alfreddugesi alfreddugesi, 12
  (Eutrombicula) alfreddugesi tropica, 12
  allredi, 12
  aplodontiae, 12
  arenicola, 12
  (Neotrombicula) autumnalis, 13
  azteca, 12
  bakeri, 12
  (Eutrombicula) batatas, 12
  (Eutrombicula) belkini, 12
  beltrani, 12
  (Neotrombicula) bisignata, 13
  boneti, 12
  (Neotrombicula) brennani, 13
  browni, 13
  (Neotrombicula) californica, 13
  (Neotrombicula) carterae, 13
  (Neotrombicula) cavicola, 13
  crossleyi, 12
  (Miyatrombicula) cynos, 13
  (Neotrombicula) dinehartae, 13
  doremi, 12
  (Miyatrombicula) esoensis, 13
  (Neotrombicula) eusignata, 13
  (Neotrombicula) finleyi, 13
  fitchi, 12
  (Neotrombicula) goodpasteri, 13
  gurneyi, 12
  gurneyi campestris, 12
  (Neotrombicula) harperi, 13
  hoplai, 12
  jamesoni, 7, 10, 12
  jessiemae, 12
  (Neotrombicula) jewetti, 13
  (Miyatrombicula) jonesae, 13
  kansasensis, 12
  kardosi, 12
  (Eutrombicula) lipovskyana, 12
  (Neotrombicula) lipovskyi, 13
  (Neotrombicula) loomisi, 13
  merrihewi, 12
  (Neotrombicula) mexicana, 13
  (Neotrombicula) microti, 13
  montanensis, 12
  (Eutrombicula) multisetosa, 12
  (Leptotrombidium) myotis, 12
  nativitatis, 12
  ornata, 12
  (Leptotrombidium) panamensis, 13
  (Neotrombicula) pomeranzevi, 13
  (Leptotrombidium) potosina, 13
  (Neotrombicula) pseudoautumnalis, 13
  (Neotrombicula) richmondi, 13
  (Miyatrombicula) sargenti, 13
  (Miyatrombicula) scottae, 13
  sola, 12
  (Eutrombicula) splendens, 12
  (Neotrombicula) subsignata, 13
  (Neotrombicula) sylvilagi, 13
  trisetica, 12
  (Neotrombidium) twentei, 13
  (Neotrombicula) varians, 13
  (Neotrombicula) waynesis, 13
  (Neotrombicula) whartoni, 13
Trombiculidae, 1, 7
Tropidosoma, 130

Ulochaetes leoninus, 126
Unaspis euonymi, 411
Uranotaenia sapphirina, 266
Uricase, from Leucophaea maderae, 548

Veliidae, 53
Veromessor lobognathus, second note, 176
Vitamin B content of mosquitoes, 26
Volucella pusilla, indifference of Tabanus bishoppi toward, 190

Walchia, 11
Walnut husk fly, flight range, 90
Warileya rotundipennis, 122
Whartonia, 10
  nudosetosa, 11
  perplexa, 11
  senase, 11
  whartoni, 11
Winthemia n. sp., 744
Wohlfartia opaca, digestive enzymology, 167
Womersia strandtmani, 10

Xanthine oxidase, from Leucophaea maderae, 548
Xanthochroa erythrocephala, 302
Xyaste, 127
Xylotrechus, 129

Zelota sphathomelina, 127
Zopherus haldemani, 299
Zygosturmia protoparcis, 744